

FREYA SEED TS

Contain:Bacillus thuringiensis 1x10⁸cfu/ml, Trichoderma harzianum 0.4x10⁴cfu/ml, glycerol 20% (inert material)

Seed treatment fertilizer

Formulation:suspension

Product suitable for use in organic farming according to Regulation (EU) 848/2018

Hazard phrases

Not applicable

Precautionary phrases

P501 – Dispose of contents/container in accordance with national/international regulations

it is IT

Lot no.:see above

Date of manufacture:see above

Expiration date:24 months

Storage:Store in a dry, cool and well-ventilated place..Storage temperature 5°C-25°C.

Careful:Read the attached instructions before use.

Producer:Norofert SA

LT. Av. Serban Petrescu Street, No. 20, Sector 1,

Bucharest, Romania

Phone: 0766 080 767

For your attention:

Shake the container vigorously for 15-20 seconds for good homogenization. By following the instructions presented, the product can be used for its intended purpose. The manufacturer declines any responsibility for damage due to storage, handling or use not in accordance with the recommendations on this label.

FREYA SEED TS

Mode of action:

B. thuringiensis functions as a plant growth promoter and biofertilizer, also helping to improve germination, growth and nutrient uptake. Trichoderma improves the plant's ability to absorb nutrients by stimulating root growth and efficiency. It also helps to decompose organic matter in the soil, releasing essential nutrients such as phosphorus. It significantly increases plant biomass (fresh and dry weight).

How to use:

Culture	Dose
Winter wheat	2 l/ton
Maize	10 l/ton
Sunflower	10 l/ton
Autumn rapeseed	10 l/ton

Application time:

Seed treatment BBCH 00

Preparation of the solution:

First, inspect the sprayer to ensure it is clean and free of residue from other products, and calibrate it for the specified volume of solution. Shake the product container well before use. Fill the sprayer tank halfway, add the appropriate amount of product, and then top up with water.

Application technique:

Seed treatment machines can be used with discontinuous or continuous flow. The volume of solution used depends on the equipment used and the crop. It is recommended to use a solution volume of 10 l/ton for wheat (2 l Freya Seed TS + 6-8 l water), for other crops it can be used as is, or in the case of corn and sunflower 3-5 l/ton of water can be added, so that there is good uniformity and coverage of the seeds. The spray solution should be shaken well during filling and application.

Application recommendations:

The solution should be applied immediately after mixing. Only prepare the solution needed for use on the day, and do not store the solution in the machine overnight. The treatment is recommended to be done immediately before sowing or 24 hours before. It is recommended to apply in combination with Germinoseed.

Compatibility: Mixing with other products will be avoided.

Cleaning the equipment: Equipment will be washed before and after application, and particularly if a product that could damage the crop was used previously.