

AMINOFERT

Contains: Amino acids of plant origin 10%, humic substances 2.5%, vegetable glycerin 20%

Biostimulatory

Formulations: suspension

The product can be used in organic farming in accordance with Regulation (EC) 848/2018

Hazard statements

Not applicable

Precautionary statements

P501 – dispose of contents/container in accordance with national/international regulations

e L

Batch. no.: see above

Date of manufacture: See above

Validity period: 24 months

Storage: Store in a dry, cool and well-ventilated place. Storage temperature 5⁰ C – 25⁰ C.

Attention: Read the instructions before use.

Manufacturer: Norofert SA

Street LT. AV. Șerban Petrescu, No. 20, District 1,

Bucharest, Romania

Phone: 0766 080 767

For your attention: Shake your container vigorously for 15-20 seconds for good homogenization. By observing the indications presented, the product can be used for its intended purpose. The manufacturer declines any responsibility for damages due to storage, handling or use not in accordance with the recommendations on this label.

AMINOFERT

Physico-chemical properties: Aminofert is presented in the form of suspension, brown in color, with a specific odor.

Action Mode:

Amino acid-based biostimulant. It activates and intensifies the physiological processes in plants throughout the vegetation period. High content of free amino acids (> 75% of the total) the only ones that are assimilated by plants. Amino acids are able directly or indirectly to influence the physiological activity of plants, with a fundamental role in the synthesis process of chlorophyll, in the functioning of stomata. Role of stimulator of growth, flowering and fruiting processes, but also with natural chelating effect of microelements. It helps plants recover after periods of stress (frost, drought, hail, excess moisture, phytotoxicity created by plant protection products). Increases the resistance of plants to the attack of diseases and pests.

How to use:

Apply to garden plants, fruit trees, vegetables, flowers, vines, with 1% (100 ml in 10 l water) 2-3 treatments per season, or by drip 2% (100 ml in 5 l water) 3-4 treatments.

Hygiene measures and labor protect:

Avoid contact with skin, eyes and clothing. Use personal protective clothing. Hands and/or face should be washed before breaks and at the end of work hours.

First aid measures:

- after inhalation: rest, fresh air, medical care.
- After skin contact: Wash immediately with plenty of soap and water. If the irritation persists, a doctor will be called.
- after eye contact: wash the affected eyes with the eyelids open for at least 15 minutes under the current of water.
- after ingestion: no vomiting will be induced. It will rinse your mouth very well. A doctor will be notified immediately.

Indications for the doctor: No specific antidote is known. It will be treated symptomatically.

Environmental protection measures:

Do not unload on the ground/in the basement. Do not drain into drainage channels/surface waters/groundwater. Prevent the product from reaching surface waters by any measure.

Storage and transport conditions:

Store in a dry, cool and well-ventilated place accessible only to authorized personnel. It will be protected from direct sun exposure and will protect from frost. Storage temperature 5⁰ C – 25⁰ C.

Validity period: Two years from the date of manufacture.